

# Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015 Issue date: 12/16/2022 Revision date: 12/16/2022 Version: 1.0

SECTION 1: Identification		
1.1. Identification		
Product form Product name Product type Other means of identification	<ul> <li>Mixture</li> <li>High Calcium Hydrated Lime</li> <li>Solid</li> <li>Hydrated Lime, Calcitic Hydrated Lime, Lime, Slaked lime, Lime Putty, Lime Slurry, Milk of Lime, Calcium Hydroxide.</li> </ul>	
1.2. Recommended use and restrictions on use		
Use of the substance/mixture	: Neutralization, flocculation, stabilization, absorption.	
1.3. Supplier		
Manufacturer GRAYMONT #200-10991 Shellbridge Way Richmond, BC V6X 3C6 - Canada T 1 604 207-4292; Toll free1 866 207-4292 - F 1 60 www.graymont.com	DistributorGraymont Western US Inc585 W Southridge WaySandy, Utah 84070 - United States207-9014T +1 801-262-3942	
1.4. Emergency telephone number		
Emergency number	: CHEMTREC 1 (800) 424-9300 CHEMTREC International +1 (703) 527-3887 24 hr	

# SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

### **GHS** classification

Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1 Carcinogenicity Category 1A Specific target organ toxicity – Single exposure, Category 3 Specific target organ toxicity – Repeated exposure, Category 1

#### 2.2. GHS Label elements, including precautionary statements

GHS labelling Hazard pictograms (GHS)	
Signal word (GHS) Hazard statements (GHS)	<ul> <li>Danger</li> <li>Causes skin irritation.</li> <li>Causes serious eye damage.</li> </ul>
	May cause respiratory irritation.
Precautionary statements (GHS)	May cause cancer (Inhalation). Causes damage to organs (lungs) through prolonged or repeated exposure. : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity

Not applicable

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Calcium hydroxide	Calcium hydroxide Calcium dihydroxide / Calcium hydroxide (Ca(OH)2) / Hydrated lime / Lime, hydrated / CALCIUM HYDROXIDE / Slaked lime	CAS-No.: 1305-62-0	90 – 100
Quartz	Quartz Quartz (SiO2) / Silica, crystalline, quartz / Crystalline silica, quartz / .alphaQuartz / Silica, crystalline, .alphaquartz / QUARTZ / Crystalline silica in the form of quartz / Quartz, silica / Quartz (respirable fraction) / Silica dust / Silica, crystalline- .alpha.quartz / Silica, .alphaquartz / Silicon dioxide / Silica, quartz / Silica, crystalline / Quartz (crystalline silica) / Silica dust, crystalline / QUARTZ POWDER / Silica, crystalline (quartz)	CAS-No.: 14808-60-7	0.0001 – 1

#### Comments

: Crystalline silica has been found in some products at or above detection level 0.1%. Concentration is dependent upon limestone source.

Any concentration shown as a range is to protect confidentiality or is due to batch variation. If a generic chemical name is shown and/or the CAS number is not disclosed, the specific chemical identity has been withheld as a trade secret.

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### **SECTION 4: First-aid measures**

4.1. Description of first aid measures	S
First-aid measures general First-aid measures after inhalation	<ul> <li>IF exposed or concerned: Get medical advice/attention.</li> <li>If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.</li> </ul>
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and e	ffects (acute and delayed)
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin.
Symptoms/effects after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion	<ul> <li>May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.</li> </ul>

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

protection (SCBA).

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguisl	hing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>: Use extinguishing media appropriate for surrounding fire.</li><li>: Do not use water jet.</li></ul>	
5.2. Specific hazards arising from the chemical		
Fire hazard	: None.	
5.3. Special protective equipment and p	recautions for fire-fighters	
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory	

SECTION 6: Accidental release measure	es se s
6.1. Personal precautions, protective equipn	nent and emergency procedures
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### 6.1.1. For non-emergency personnel

No additional information available

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

6.1.2. For emergency responders No additional information available	
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	
6.3. Methods and material for containr	nent and cleaning up
For containment	: Contain spill, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for cleaning up	: Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Provide ventilation.
6.4. Reference to other sections	

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
, , , , , , , , , , , , , , , , , , ,	<ul> <li>Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Do not breathe dust. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Avoid generating dust. Use only outdoors or in a well-ventilated area. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. Good housekeeping is important to prevent accumulation of dust. Wear appropriate PPE (see Section 8).</li> <li>Wash contaminated clothing before reuse. Always wash hands after handling the product.</li> </ul>	
7.2. Conditions for safe storage, including a	ny incompatibilities	
Storage conditions	: Keep out of the reach of children. Keep container tightly closed. Store locked up. Store in a well- ventilated place. Store in dust-tight, dry, labelled containers. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area.	

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

High Calcium Hydrated Lime		
No additional information available		
Calcium hydroxide (1305-62-0)		
Canada (Alberta) - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Canada (British Columbia) - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Canada (Ontario) - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Canada (Quebec) - Occupational Exposure Limits		
VEMP (OEL TWA)	5 mg/m³	

# Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Calcium hydroxide (1305-62-0)	
Canada (Saskatchewan) - Occupational Exposure L	imits
OEL TWA	5 mg/m <sup>3</sup>
OEL STEL	10 mg/m <sup>3</sup>
USA - ACGIH - Occupational Exposure Limits	·
ACGIH OEL TWA	5 mg/m³
USA - OSHA - Occupational Exposure Limits	
OSHA PEL TWA [1]	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL TWA	5 mg/m <sup>3</sup>
USA - MSHA - Occupational Exposure Limits	
MSHA PEL TWA 8/40 h	5 mg/m³
Quartz (14808-60-7)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Silica-Crystalline: Quartz
OEL TWA	0.025 mg/m <sup>3</sup> (respirable particulate)
Notations and remarks	Carcinogenicity A2
Regulatory reference	Alberta Regulation 191/2021
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Silica, Crystalline - alpha quartz
OEL TWA	0.025 mg/m <sup>3</sup> (respirable)
Notations and remarks	ACGIH Carcinogenicity category A2; IARC group 1 carcinogen
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Ontario) - Occupational Exposure Limits	
OEL TWA	0.1 mg/m <sup>3</sup> (designated substances regulation-respirable fraction (Silica, crystalline)
Canada (Quebec) - Occupational Exposure Limits	
VEMP (OEL TWA)	0.1 mg/m <sup>3</sup> (respirable dust)
Canada (Saskatchewan) - Occupational Exposure L	imits
OEL TWA	0.05 mg/m <sup>3</sup> (Trydimite removed-respirable fraction (Silica - crystalline (Trydimite removed))
USA - ACGIH - Occupational Exposure Limits	
Local name	Silica crystaline - quartz
ACGIH OEL TWA	0.025 mg/m <sup>3</sup> (respirable particulate matter)
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)
ACGIH chemical category	Suspected Human Carcinogen
Regulatory reference	ACGIH 2022
USA - OSHA - Occupational Exposure Limits	
Local name	Quartz (Total Dust) (Silica: Crystalline)
OSHA PEL TWA [1]	50 μg/m³ (Respirable crystalline silica)
	·

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Quartz (14808-60-7)	
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA) use formula: (30 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
USA - IDLH - Occupational Exposure Limits	
IDLH	50 mg/m <sup>3</sup> (respirable dust)
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL TWA	0.05 mg/m <sup>3</sup> (respirable dust)
USA - MSHA - Occupational Exposure Limits	
MSHA PEL TWA 8/40 h	30 mg/m <sup>3</sup> / (%SiO2) + 2 mg/m <sup>3</sup> (Total dust) 10 mg/m <sup>3</sup> / (%SiO2) + 2 mg/m <sup>3</sup> (Respirable dust)
8.2. Appropriate engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.
Environmental exposure controls	: Avoid release to the environment.
8.3. Individual protection measures/Personal protective equipment	
Hand protection:	
Wear suitable gloves resistant to chemical penetration	
Eye protection:	
If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield.	

### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

#### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Appearance	: Fine powder.	
Colour	: White	
Odour	: Sweet Soil	
Odour threshold	: No data available	
рН	: 12.45 saturated solution at 25°C (77°F)	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: Not applicable	
Relative evaporation rate (butylacetate=1)	: No data available	

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No specific test data related to reactivity available for this product or its ingredients.

#### 10.2. Chemical stability

Stable under normal conditions.

**10.3. Possibility of hazardous reactions** 

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Incompatible materials.

**10.5. Incompatible materials** 

Oxidizing materials. Acids. Moisture. Reactive materials. Powdered metals. Acid anhydrides. Organic nitro-compounds.

**10.6. Hazardous decomposition products** 

None.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity (dermal) :	Not classified. Not classified. Not classified.
Calcium hydroxide (1305-62-0)	
LD50 oral rat	7340 mg/kg
LD50 dermal rat	> 2500 mg/kg
LC50 inhalation rat	> 6.04 mg/l/4h
ATE CA (oral)	7340 mg/kg bodyweight

# Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

: Causes skin irritation.
pH: 12.45 saturated solution at 25°C (77°F)
: Causes serious eye damage.
pH: 12.45 saturated solution at 25°C (77°F)
: Not classified.
: Not classified.
: May cause cancer if inhaled. Risk of cancer depends on duration and level of exposure.
1 - Carcinogenic to humans
Known Human Carcinogens
Yes
: Not classified.
: May cause respiratory irritation.
May cause respiratory irritation.
: Causes damage to organs through prolonged or repeated exposure.

Quartz (14808-60-7)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified.
High Calcium Hydrated Lime	
Viscosity, kinematic	Not applicable
Symptoms/effects after inhalation Symptoms/effects after skin contact	<ul> <li>May cause irritation to the respiratory tract.</li> <li>Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin.</li> </ul>
Symptoms/effects after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Chronic symptoms Other information	<ul><li>May cause cancer. Causes damage to organs through prolonged or repeated exposure.</li><li>Likely routes of exposure: ingestion, inhalation, skin and eye.</li></ul>

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general

: No known significant effects or critical hazards.

12.2. Persistence and degradability	
High Calcium Hydrated Lime	
Persistence and degradability	Not established.

# Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

12.3. Bioaccumulative potential		
High Calcium Hydrated Lime		
Partition coefficient n-octanol/water	Not applicable	
Bioaccumulative potential	Not established.	
Calcium hydroxide (1305-62-0)		
BCF - Fish [1]	(no bioaccumulation)	
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
Other information :	No other effects known.	
SECTION 13: Disposal considerations		
13.1. Disposal methods		

Product/Packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport information	
In accordance with DOT / TDG / IMDG / IATA	
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
14.3. Transport hazard class(es)	
<b>DOT</b> Transport hazard class(es) (DOT)	: Not applicable
<b>TDG</b> Transport hazard class(es) (TDG)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
14.4. Packing group	
Packing group (DOT) Packing group (TDG)	<ul><li>Not applicable</li><li>Not applicable</li></ul>

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Packing group (IMDG) Packing group (IATA)	: Not applicable : Not applicable
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
DOT No data available	
<b>TDG</b> No data available	
IMDG No data available	
IATA No data available	
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
Not applicable	

## **SECTION 15: Regulatory information**

#### **15.1. US Federal regulations**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

#### **15.2. International regulations**

#### No additional information available

### 15.3. US State regulations

**WARNING:** This product can expose you to Silica, respirable crystalline, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
Calcium hydroxide(1305-62-0)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Quartz(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List

## **SECTION 16: Other information**

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

### Revision date Other information Prepared by

: 12/16/2022
: None.
: Nexreg Compliance Inc. <u>www.Nexreg.com</u>

N E X R E G

Full text of H-statements		
Carc. 1A	Carcinogenicity, Category 1A	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

SDS HazCom 2012 - WHMIS 2015 (Nexreg) - Section 15 2021

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.